

Page 1 of 6 **BTI-022**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 3/14/2017 SDS Revision: 2.0 1. PRODUCT & COMPANY IDENTIFICATION 11 Product Name ANTIQUE BLACK® M21 1.2 Chemical Name: Acid Mixture 730050, 730051, 730058, 730050INT 1.3 Synonyms Antique Black® M21 1.4 Trade Names: Blackening Solution for Nickel & Silver 1.5 Product Use: Distributor's Name: 1.6 Birchwood Laboratories LLC 7900 Fuller Road, Eden Prairie, MN 55344 USA Distributor's Address: 1.7 18 Emergency Phone: ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (855) 281-1742 1.9 Business Phone / Fax: +1 (952) 937-7900 / +1 (952) 937-7979 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: This product is classified as a hazardous substance and as dangerous goods according to the classification criteria of [NOHSC: 1088 (2004)] and ADG Code (Australia). DANGER! TOXIC IF SWALLOWED. MAY CAUSE SEVERE SKIN BURNS OR EYE DAMAGE. MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS. Classification: Acute Toxicity 3; Skin Corrosion1A; STOT-RE 2; Chronic Aquatic Toxicity 1 2.2 Label Elements: Hazard Statements (H): H301 - Toxic if swallowed. H314 - Causes severe skin burns and eye damage. H373 - May cause damage to organs through prolonged or repeated exposure. H410 -Very toxic to aquatic life with long lasting effects. Precautionary Statements (P): P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P220 - Keep/Store away from clothing/ combustible materials. P273 - Avoid release to the environment. P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P370 - In case of fire: Use fire-extinguishing media appropriate for surrounding materials to extinguish. P391 - Collect spillage. P501 - Dispose of contents/ container to an approved waste disposal plant. 2.3 Other Warnings: In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. Keep out of reach of children. **COMPOSITION & INGREDIENT INFORMATION** EXPOSURE LIMITS IN AIR (mg/m3) ACGIH NOHSC ppm ppm ppm ES-ES-ES-PEL CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV STEL TWA STEL PEAK STEL **IDLH** OTHER ZC0110000 7732-18-5 231-791-2 60-100 NE NF NF NE NE NE NF NE WATER 7758-99-8 NA NA 5-10 (1) NA NF NF NF (1) NA 1000 **CUPRIC SULFATE** Acute Toxicity 4; H302 VS7175000 231-974-7 7783-00-8 1-5 (0.2) NA (0.2) NF NF (0.2) NA NA SELENIOUS ACID Acute Toxicity-Inh 3; Acute Toxicity-Oral 3; STOT-Repeated Exp 2; Acute Aquatic Toxicity 1; Chronic Aquatic Toxicity 1); H301, H331 2 4 2 NF NF 7697-37-2 QU5775000 231-714-2 1-5 2 NA NITRIC ACID Oxidizing Liquid 3; Skin Corrosion 1A; H272, H314 4. FIRST AID MEASURES First Aid: 4.1 Do not induce vomiting. Call +1 (855) 281-1742 for emergency medical advice. If vomiting occurs, keep Ingestion: victim's head lowered (forward) to keep vomit from entering the lungs. Call 911 for emergency medical transport if any symptoms noted. Remove and discard contact lenses if worn and flush eyes with large amounts of water for at least 20 Eyes: minutes. Seek immediate medical attention when done rinsing eyes. Remove contaminated clothing and wash exposed skin with large amounts of soap and water. Seek Skin: medical attention if any blistering, swelling or open sores develop. Move victim to fresh air. Contact emergency medical services (911) if any difficulty in breathing occurs or if

Inhalation:

victim loses consciousness.



Page 2 of 6 BTI-022

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 3/14/2017

		4. FIRST AID MEASURES – cont'd			
4.2	Effects of Exposure:	Eyes: Severe or permanent eye damage. Skin: Burns upon direct contact. Ingestion: Severe burns of mouth, throat, stomach. Ingestion: Severe purpose or burns in respiratory tract and mucous membranes. Possible lung damage.			
4.3	Symptoms of Overexposure:	Inhalation: Severe irritation or burns in respiratory tract and mucous membranes. Possible lung damage. Eyes: Redness, burning, irritation, and swelling around eyes Skin: Redness, burning, itching, rash, blistering of skin. Ingestion: Nausea, vomiting, severe abdominal pain. Inhalation: Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing.			
4.4	Acute Health Effects:	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respirato tract. May be harmful if swallowed. Causes burns. May be harmful if absorbed through skin.			
4.5	Chronic Health Effects:	May damage the nervous system, kidney and/or liver.			
4.6	Target Organs:	Eyes, skin, nervous system, kidneys, liver, respiratory system.			
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes, skin, and respiratory system) or impaired kidney function may be more susceptible to the effects of this substance. 1` HEALTH 3			
4.8	Notes to Physician:	This product contains Selenious Acid and is potentially fatal if ingested even in small amounts. 24-hour admiss should be considered in asymptomatic or minimally symptomatic patients as delayed toxic effects including pulmon edema and multi-organ failure may occur. 24/7 medical toxicology consultation is available at +1 (855) 281-1742.			
		5. FIREFIGHTING MEASURES			
5.1	Fire & Explosion Hazards:	Non-flammable. May react with metals to release hydrogen gas, which can form explosive mixtures with air. May intensity fire; oxidizer. Keep/Store away from clothing/ combustible materials.			
5.2	Extinguishing Methods:	Use fire-extinguishing media appropriate for surrounding materials.			
		As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Fight fires as for surrounding materials. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, phosphorous, selenium and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.			
		6. ACCIDENTAL RELEASE MEASURES			
6.1	Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Use safety glasses or safety goggles and face shield; use gloves and other protective clothing (e.g. apron, boots, etc.) to prevent skin contact. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible inert material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from sport release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrar Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue. Available and collect in acid-resistant container.			
		7. HANDLING & STORAGE INFORMATION			
7.1	Work & Hygiene Practices:	Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and			
7.1		expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up ar decontaminate any spills or residues.			
7.2	Storage & Handling:				



Page 3 of 6

BTI-022

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 3/14/2017 8. EXPOSURE CONTROLS & PERSONAL PROTECTION OTHER Exposure Limits: OSHA 8 1 ppm (mg/m³) CHEMICAL NAME(S) TLV STEL ES-TWA STEL PEAK PEL STEL IDLH **CUPRIC SULFATE** NF NF NF 1000 (1) NA (1) NA SELENIOUS ACID (0.2)NA (0.2)NF NF (0.2)NA NA NITRIC ACID NF NF NA 4 25 8.2 Ventilation & Engineering Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the Controls: handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash 8.3 Respiratory Protection: In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or 8.4 Eve Protection: Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended. 8.5 Hand Protection: Wear protective, chemical-resistant gloves (e.g., neoprene) when using or handling this product. Body Protection: A chemical resistant apron and/or protective clothing are recommended when handling or using this product. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Clear liquid 9.2 Odor: Odorless 9.3 Odor Threshold: 0.29 to 0.98 ppm (Nitric Acid) 9.4 1.2 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 > 100 °C (> 212 °F) Range: 9.7 Wax: 207 °C (405 °F) COC 9.8 Upper/Lower Flammability NA Limits: 9.9 Vapor Pressure: NA 9.10 Vapor Density: < 1.0 (air = 1.0)9.11 Relative Density: 1.017 9.12 Solubility Complete (water) 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature: NA 9.15 Decomposition Temperature: NA 9.16 Viscosity NA 9.17 Other Information: Evaporation Rate: < 1.0 (ethyl ether = 1.0) 10. STABILITY & REACTIVITY Stability: 10.1 Stable at normal temperatures. 10.2 Hazardous Decomposition Reaction with organics and strong reducing agents can produce organoselenides and hydrogen selenide. Thermal Products: decomposition may produce selenium, nitrogen, phosphoric and copper oxides 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Excessive heat, shock, friction. 10.5 Incompatible Substances: Cyanides, water-reactive substances, strong reducing agents, chlorinated cleaners or sanitizers, combustible organic materials, most metals

	11. TOXICOLOGICAL INFORMATION					
11.1	Routes of Entry:	Inhalation: YES	Absorption:	YES	Ingestion:	NO
11.2	Toxicity Data:	Cupric Sulfate: LD ₅₀ (oral, rat) = 300 mg/kg				
11.3	Acute Toxicity:	See Section 2.4				
11.4	Chronic Toxicity:	See Section 2.5				
11.5	Suspected Carcinogen:	Selenious Acid is listed by IARC on Group 3 (not classifiable as to its carcinogenicity to humans)				
11.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.				
	Mutagenicity: This product is not reported to produce mutagenic effects in humans.					
	Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans.					
	Reproductive Toxicity: This product is not reported to cause reproductive effects in humans.					



Page 4 of 6 BTI-022

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 3/14/2017

		11. TOXICOLOGICAL INFORMATION – cont'd
11.7	Irritancy of Product:	See Section 4.2
11.8	Biological Exposure Indices:	NE NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	There are no specific data available for this product.
12.2	Effects on Plants & Animals:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	Very toxic to aquatic life with long lasting effects.
		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriat
	Tradic Bioposaii	disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, an
		federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage an
		disposal of hazardous waste must be provided by a licensed facility or waste hauler.
13.2	Special Considerations:	U.S. EPA Hazardous Waste – Characteristic - Corrosive (D002), Characteristic - Toxic (D010)
		14. TRANSPORTATION INFORMATION
The	basic description (ID Nur	mber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional
aesa 14.1	49 CFR (GND):	e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID),
	10 01 11 (O.1.2).	8, III, LTD QTY (IP VOL ≤ 5.0 L)
14.2	IATA (AIR):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, III, LTD QTY (IP VOL ≤ 0.5 L)
14.3	IMDG (OCN):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L)
14.4	TDGR (Canadian GND):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L)
14.5	ADR/RID (EU):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L)
14.6	SCT (MEXICO):	UN3264, LIQUIDOS, CORROSIVOS, ACIDO, INORGANICO, N.E.P. (ACIDO SELENIO, ACIDO NITRICO), 8, III, CANTIDAD LIMITADA (IP VOL ≤ 5.0 L)
14.7	ADGR (AUS):	UN3264, CORROSIVE LIQUIDS, ACIDIC, INORGANIC, N.O.S. (SELENIOUS ACID, NITRIC ACID), 8, III, LTD QTY (IP VOL ≤ 5.0 L)
		45 DECLII ATODY INFORMATION
15.1	CARA Reporting Requirement	15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements	reporting requirements.
15.2	SARA TPQ:	302 TPQ (Nitric Acid): 1,000 lbs (454 kg)
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4 15.5		
15.6	Other Federal Requirements: Other Canadian Regulations:	NA This product has been closeffed according to the barred criteria of the CDD and the MCDC
	Cita Canada regulators	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material). WHMIS Class D1 (Materials Causing Immediate and Serious Toyie Effects)
15.7	State Regulatory Information:	Serious Toxic Effects). Selenious Acid is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachuset Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know List (PA and Wisconsin Hazardous Substances List (WI).
		Nitric Acid is found on the following state criteria lists: FL, MA, MN, New Jersey Right-to-Know List (NJ), PA, ar Washington Permissible Exposures List (WA). No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Tox Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), New Jersey Right-to-Know List (NJ), New York Hazardous Substances
		List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardou Substances List (WI).



Page 5 of 6

BTI-022

SDS Revision: 2.0

Sisters, Oregon 97759-0787 USA

Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 3/14/2017 16. OTHER INFORMATION 16.1 Other Information: DANGER! TOXIC IF SWALLOWED. MAY CAUSE SEVERE SKIN BURNS OR EYE DAMAGE. MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep/Store away from clothing/ combustible materials. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Collect spillage. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. 16.3 Disclaimer: This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Birchwood Technologies' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. Prepared for: **Birchwood Technologies** 7900 Fuller Road **BIRCHWOO** Eden Prairie, MN 55344 USA Tel: +1 (952) 937-7900 TECHNOLOGIES Fax: +1 (952) 937-7979 http://www.birchwoodtechnologies.com 16.5 Prepared by: ShipMate, Inc. P.O. Box 787





DEFINITION OF TERMS

Page 6 of 6 **BTI-022**

SDS Revision Date: 3/14/2017

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number	
RTECS No. Registry of Toxic Effects of Chemical Substances Number	
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit	
STEL Short Term Exposure Limit	
TLV Threshold Limit Value	
TWA Time Weighted Average	

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1	1 Slight Hazard	
2	2 Moderate Hazard	
3	3 Severe Hazard	
4	4 Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В			
С	(EV)	THE STATE OF THE S	
D	(EL)	THE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLU	
Ε			
F		THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irritant	
NA	Not Available	
NR	No Results	
ND	Not Determined	
NE	Not Established	
NF	Not Found	
SCBA	Self-Contained Breathing Apparatus	
Sens	Sensitization	
STOT RE	TRE Specific Target Organ Toxicity – Repeat Exposure	
STOT SE	Specific Target Organ Toxicity – Single Exposure	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

SDS Revision: 2.0

FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source	

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\ \ \
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ \ \ \ \
W	Use No Water	HEALTH
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀ Lethal Dose (solids & liquids) which kills 50% of the exposed a	
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{Io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or Lowest dose (or concentration) to cause lethal or toxic effects	
TC, TC _o , LC _{io} , & LC _o	
IARC International Agency for Research on Cancer	
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®		②	Θ	(%)		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment