

Page 1 of 6 BTI-090

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision Date: 5/11/2019 SDS Revision: 1.0 1. PRODUCT & COMPANY IDENTIFICATION Product Name 11 TRUTEMP® NEUTRALIZER 1.2 Chemical Name: Phosphoric Acid Solution 1.3 Synonyms 611651, 611658 TruTemp[®] Neutralizer 1.4 Trade Names: pH Neutralizer of TruTemp[®] 1.5 Product Use: Distributor's Name: Birchwood Laboratories LLC 1.6 Distributor's Address: 7900 Fuller Road, Eden Prairie, MN 55344 USA 17 18 Emergency Phone: ChemTrec +1 (800) 424-9300 / +1 (703) 527-3887 or Poison Control Center +1 (855) 281-1742 1.9 Business Phone / Fax: +1 (952) 937-7900 / +1 (952) 937-7979 2. HAZARDS IDENTIFICATION 2.1 Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE as DANGEROUS GOODS according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). DANGER! CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. Classification: Skin Corr. 1B Label Elements: Hazard Statements (H): H314 - Causes severe skin burns and eye damage. 2.2 Precautionary Statements (P): P260 - Do not breathe dust or mist. P264 - Wash thoroughly with soap and water after handling. P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P330 +P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 +P353 - IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water. P363 - Wash contaminated clothing before reuse. P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 - Immediately call a POISIN CENTER/ doctor. P321 - For specific treatment, see this container or label. P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. P405 - Store locked up. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF). 2.3 Other Warnings: In the event of an exposure or medical inquiry involving this product, please contact a physician or local poison control center, who may seek advice from the U.S. manufacturer, and show them this SDS. KEEP OUT OF REACH OF CHILDREN. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) ACGIH NOHSC OSHA mag maa maa ES-STEL ES-PEAK ES-RTECS No. **EINECS No** STEL PEL STEL IDLH OTHER CHEMICAL NAME(S) CAS No TWA 7664-38-2 TB6300000 231-633-2 65-85 (3) NF NF NF NA NA 1000 PHOSPHORIC ACID Metal Corrosion 1; Skin Corrosion 1B; H290, H314 7732-18-5 ZC0110000 231-791-2 15-35 NE NE NF NF NF NE WATER 4. FIRST AID MEASURES If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk 4 1 First Aid: Ingestion: IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm Eyes: water for at least 15 minutes lifting upper and lower lids, occasionally. Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of water for at Skin: least 15 minutes Inhalation: Remove victim to fresh air at once. If breathing difficult, administer oxygen. If breathing stops give artificial respiration. Keep person warm, quiet and get medical attention. 4.2 Effects of Exposure: Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and Eyes: Skin: May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in

some sensitive individuals.

None expected.

Inhalation:



Page 2 of 6 **BTI-090**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 5/11/2019

		· · · · · · · · · · · · · · · · · · ·	4. FIRST A	VID WI	ΕΔΩΙΙ	RES -	cont'	d				
1.3	Symptoms of Overexposure:	Ingestion: Eyes:	Nausea, intestinal d Overexposure in eye	iscomfort	, vomitin	g and/or di	iarrhea.					
		Skin:	Symptoms of skin of like symptoms. The individuals.	overexpo:	sure may	/ include r	edness,	itching, an				
1.4	Acute Health Effects:	Non-irritating when used as directed. Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.										
1.5	Chronic Health Effects:	Non-irritating May also ind	g when used as direc luce skin sensitization	ted. Ove and resp	erexposu piratory h	re may tri ypersensiti	gger ast ivity. Po	hma-like s ssible aller	ymptoms gic derm	s in some atitis.	sensitiv	e individu
1.6	Target Organs:	Eyes, Skin.										2
.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of t				of the	HEALTH					
		target organs (eyes, skin, and re		oratory s	ystem).			FLAMMABILITY			0	
								PHYSIC	AL HA	ZARDS		0
								PROTE	CTIVE I	OUIPM	FNT	В
								EYES	SKIN			
								LILO	Jikii	•		
			5. FIREF									
5.1	Fire & Explosion Hazards:		splatter above 100 °C				n burn.					
5.2	Extinguishing Methods: Firefighting Procedures:		r Spray, Carbon Dioxi					.,			4	
		Keep containers cool until well after the fire is out. Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.										
5.1	Spills:		6. ACCIDENT						wear ar	nronriate	Person	nal Protec
		Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Large Spills: Keep incompatible materials away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minima risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. Recover as much free liquid as possible and collect in acid-resistant container. Use absorbent to pick up residue.										
		7	. HANDLING	& STO	DRAG	E INFO	ORMA	TION				
7.1	Work & Hygiene Practices:	Avoid breathing mists or spray. Avoid eye and skin contact. Wear protective equipment when handling product. Keep out of the reach of children. Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Do not expose to heat and flame. Use only in ventilated areas. Keep out of the reach of children. Immediately clean-up and decontaminate any spills or residues.										
7.2	Storage & Handling:	sunlight. Sto	ore in a cool, dry, we ore in acid-resistant co eep away from incomp	ontainers	Кеер с	ontainers o	covered	when not it	n use. A	void tem	erature:	s above 4
7.3	Special Precautions:		iners may retain haza				- /					
		8. EXP	OSURE CONT			RSON		ROTEC	TION			
.1	Exposure Limits: ppm (mg/m³)	CHEMICAL NAM	AE(S)		GIH STEL	ES TIMA	NOHSC ES-	ES-	DEI	OSHA	IDLH	OTHER
		PHOSPHORIC		(1)	(3)	NF	STEL NF	PEAK NF	PEL NA	STEL NA	1000	
3.2	Ventilation & Engineering Controls:	General med exhaust ven	chanical (e.g., fans) of tilation to effectively	or natura	l ventilat and prev	ion is suff ent buildu	icient wh	nen this pr	oduct is st genera	in use. ated from	Use loo	ndling of
8.3	Respiratory Protection:	product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station). No special respiratory protection is required under typical circumstances of use or handling. In instances where mist or vapors of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia.										



Page 3 of 6 **BTI-090**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 5/11/2019

	8.	EXPOSURE CONTROLS & PERSONAL PROTECTION – cont'd					
3.4	Eye Protection:	Wear chemical splash proof goggles and/or face shield. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).					
.5	Hand Protection:	Wear impervious resistant gloves when using or handling this product. When handling large quantities of fluid (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves.					
6	Body Protection:	No apron required. Eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product (fluid), wash any exposed areas thoroughly with soap and water.					
		9. PHYSICAL & CHEMICAL PROPERTIES					
1	Appearance:	Clear colorless syrupy liquid					
2	Odor:	Odorless					
3	Odor Threshold:	NA NA					
4	pH:	1.5					
5	Melting Point/Freezing Point:	70 °C (21 °F)					
6	Initial Boiling Point/Boiling Range:	158 °C (316.4 °F)					
7	Flashpoint:	NA					
В	Upper/Lower Flammability Limits:	NA NA					
9	Vapor Pressure:	0.03 mmHg @ 20 °C					
10	Vapor Density:	3.4 (Air = 1.0)					
11	Relative Density:	1.57					
12	Solubility:	Miscible in all proportions with water					
13	Partition Coefficient (log Pow):	NA NA					
14	Autoignition Temperature:	NA NA					
15	Decomposition Temperature:	NA NA					
16	Viscosity:	NA NA					
17	Other Information:	NA					
		10. STABILITY & REACTIVITY					
0.1	Stability:	Stable under normal conditions					
0.2	Hazardous Decomposition Products:	None known. However, avoid temperatures above 177 °C / 350 °F, the onset of polymer decomposition. Therm decomposition is dependent on time and temperature.					
0.3	Hazardous Polymerization:	Will not occur.					
0.4	Conditions to Avoid:	Use or storage near open flames, sparks, high heat or other heat sources, and proximity to incompatible substance (e.g., strong acids, oxidizers).					
0.5	Incompatible Substances:	Strong oxidizing agents, concentrated caustic and alkaline substances. This product may react with reducing agents Can react violently with sodium tetrahydroborates. Exothermic reactions with aldehydes, amines, amides, alcohol and glycols, azo-compounds, carbonates, esters, caustics, phenols and cresols, ketones, organophosphates, exooxides explosives, combustible materials, unsaturated halides, organic peroxides. Phosphoric acid forms flammable gases with sulfides, mercaptans, cyanides, aldehydes. Forms toxic fumes with cyanides, sulfide, fluorides, organic peroxides, and halogenated organics. Mixtures with nitromethanes are explosive.					
		11. TOXICOLOGICAL INFORMATION					
1.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: NO					
1.2	Toxicity Data:	Phosphoric Acid: LD ₅₀ (oral, rat) = 1,530 mg/kg					
1.3	Acute Toxicity:	See Section 4.4					
.4	Chronic Toxicity:	Prolonged exposure may cause chronic effects. Prolonged inhalation may be harmful. Severe exposure can lead chemical pneumonitis. See also Section 4.5.					
.5	Suspected Carcinogen:	NA NA					
.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.					
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.					
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.					
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.					
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.					
1.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.					
	Biological Exposure Indices:	NE					
1.8	Physician Recommendations:	IVL					



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SAFETY DATA SHEET

SDS Revision: 1.0

Page 4 of 6 BTI-090

SDS Revision Date: 5/11/2019

12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: When released into the soil, this product may leach into groundwater. When released to water, acidity may be readily reduced by natural water hardness minerals. The phosphate may persist indefinitely Effects on Plants & Animals: 12.2 There are no specific data available for this product. 12.3 Effects on Aquatic Life: Components of this product are hazardous to aquatic life. Because of the low pH of this product, it is expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems. Phosphoric Acid: EC₅₀ (Daphnia Magna, 12h) = 4.6 mg/L 13. DISPOSAL CONSIDERATIONS Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate Waste Disposal: 13.1 disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage and disposal of hazardous waste must be provided by a licensed facility or waste hauler. Special Considerations: 13.2 U.S. EPA Characteristic Hazardous Waste: D001 (Corrosivity) 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): CONSUMER COMMODITY, ORM-D (until 12/31/2020) UN1805, PHOSPHORIC ACID SOLUTION (75%), 8, III (LTD QTY, IP VOL ≤ 5.0 L) 14.2 IATA (AIR): UN1805, PHOSPHORIC ACID SOLUTION (75%), 8, III (LTD QTY, IP VOL ≤ 1.0 L) 14.3 IMDG (OCN): UN1805, PHOSPHORIC ACID SOLUTION (75%), 8, III (LTD QTY, IP VOL ≤ 5.0 L) TDGR (Canadian GND): 14.4 UN1805, PHOSPHORIC ACID SOLUTION (75%), 8, III (LTD QTY, IP VOL ≤ 5.0 L) ADR/RID (EU): 14 5 UN1805, PHOSPHORIC ACID SOLUTION (75%), 8, III (LTD QTY, IP VOL ≤ 5.0 L) SCT (MEXICO): 14.6 UN1805, ACIDO FOSFORICO, EN SOLUCIÓN (75%), 8, III (CANT. LTDA., IP VOL ≤ 5.0 L) ADGR (AUS): 14.7 UN1805, PHOSPHORIC ACID SOLUTION (75%), 8, III (LTD QTY, IP VOL ≤ 5.0 L) 15. REGULATORY INFORMATION 15.1 SARA Reporting Requirements: This product contains Phosphoric Acid, a substance subject to SARA Title III, Section 313 reporting requirements. SARA TPQ: There are no specific Threshold Planning Quantities for the components of this product. 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. 15.4 CERCLA Reportable Quantity: Phosphoric Acid: 5,000 lbs (2,270 kg) 15.5 Other Federal Requirements: This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA. 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS E, D2B (Corrosive, Other Toxic Effects) 15.7 State Regulatory Information: Phosphoric Acid is found on the following state criteria lists: FL, MA, MN, and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). 15.8 Other Requirements: This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov



Page 5 of 6

BTI-090

SDS Revision: 1.0 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision Date: 5/11/2019

		16 OTHER INFO	DRMATION		
16.1	Other Information:	Information: DANGER! CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. Do not breathe dust or mist. Wash thoroughly with soap and water after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISIN CENTER/ doctor. For specific treatment, see this container or label. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Store locked up. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.			
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & Birchwood Technologies' knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.			
16.4	Prepared for:	Birchwood Technologies 7900 Fuller Road Eden Prairie, MN 55344 USA Tel: +1 (952) 937-7900 Fax: +1 (952) 937-7979 http://www.birchwoodtechnologies.com	BIRCHWOOD® TECHNOLOGIES		
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting		



Page 6 of 6 **BTI-090**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 5/11/2019

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. Chemical Abstract Service Number	
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists	
IDLH	IDLH Immediately Dangerous to Life and Health	
NOHSC	National Occupational Health and Safety Commission (Australia)	
OSHA U.S. Occupational Safety and Health Administration		
PEL Permissible Exposure Limit		
STEL Short Term Exposure Limit		
TLV Threshold Limit Value		
TWA Time Weighted Average		

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	
1 Slight Hazard		
2 Moderate Hazard		
3	3 Severe Hazard	
4	Extreme Hazard	



PERSONAL PROTECTION RATINGS:

Α			
В			
С	The second second	THE STATE OF THE S	
D	The second second	THE NAME OF THE PERSON OF THE	
Е			
F	(EV)	H.	





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irritant	
NA	Not Available	
NR	No Results	
ND	Not Determined	
NE	NE Not Established	
NF	NF Not Found	
SCBA	Self-Contained Breathing Apparatus	
Sens	Sensitization	
STOT RE	Specific Target Organ Toxicity – Repeat Exposure	
STOT SE	STOT SE Specific Target Organ Toxicity – Single Exposure	

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

HAZARD RATINGS:

Minimal Hazard		FLAMMABILITY
1 Slight Hazard		. =
2 Moderate Hazard		REACTIVITY
3 Severe Hazard		
4 Extreme Hazard		
ACD Acidic		
ALK Alkaline		
COR Corrosive W Use No Water		/ Y ₩ Y
		HEALTH
OX Oxidizer		SPECIAL
TREFOIL Radioactive		PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{io}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TL _m	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	®			Θ	®		(R)
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

	(%)		\Diamond					*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment