

Page 1 of 6 **BTI-041**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 3.0 SDS Revision Date: 3/10/2022

1.1	Product Name:		PRODUC CRUB® ST											
1.2	Chemical Name:	Aqueous Solu 870550, 8705												
1.4	Synonyms: Trade Names:	Safe Scrub® S												
1.5	Product Use:	Cleaner	31											
1.6	Distributor's Name:		aboratories LLC	`										
1.7	Distributor's Address:		Road, Eden Pra		IICV									
1.8	Emergency Phone:					2007 0	r Dois	on C	n dual	Cont	10 H . I . I	(0EE)	204 4	740
1.9	Business Phone / Fax:		+1 (800) 424 7-7900 / +1 (95)		J3) 527-3	00010	Pois	son C	JIILIOI	Cen	ter + i	(000)	201-1	142
	·	11 (932) 937												
0.4	T. 11 11 11 11 11 11 11 11 11 11 11 11 11			AZARDS										
2.1	Hazard Identification:	Prepared in accordance with UN Globally Harmonized standards. Intended to comply with OSHA 29 CFR 191 Canadian WHMIS and Australian Work Health and Safety. DANGER! HARMUL IF SWALLOWED. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. Classification: Acute Tox. (oral) 4; Skin Corr. 1A					CFR 1910.120							
2.2	Label Elements:		ements (H): H3			d. H31	4 – Ca	auses s	severe	skin k	ourns a	and ey	е	
		damage.	、 ,									•		
		Precautionar	y Statements ((P): P203 - Ob	otain, read	l, and f	ollow a	all safe	ty inst	ructior	ns befo	ore use	.	PO
			ot breathe dus											<u> </u>
			not eat, drink,											\ /
			othing /eye pro											
			NOT induce vo											
			d clothing. Imm											
			re reuse. P304											
			. P316 – Get e usly with water											\
			sing. P321 – S											
			e locked up. P											
			lity (TSDF)	. 2.spsss	or content	.5/001112	annen ic	licens	เยร แย	aunen	ι, σισι	ago ann	u	
2.3	Other Warnings:		lity (TSDF).											l noison conti
2.3	Other Warnings:	In the event of	of an exposure	or medical in	quiry invol	ving th	is prod	duct, pl	ease c	ontact				I poison contr
2.3	Other Warnings:	In the event of center, who n	of an exposure nay seek advic	or medical incention of the transfer of the tr	quiry invol	ving th	is prod	duct, pl	ease c	ontact				ıl poison contr
2.3	Other Warnings:	In the event of center, who n	of an exposure	or medical incention of the transfer of the tr	quiry invol	ving th	is prod	duct, pl	ease c	ontact				ıl poison contr
2.3	Other Warnings:	In the event of center, who no KEEP OUT C	of an exposure may seek advic OF REACH OF	or medical ince from the U.S.	quiry invol . manufac	ving th turer, a	is prod	duct, pl ow ther	ease o	ontact				ıl poison contr
2.3	Other Warnings:	In the event of center, who no KEEP OUT C	of an exposure nay seek advic	or medical ince from the U.S.	quiry invol . manufac	ving th turer, a	is prod	duct, pl ow ther	ease on this S	ontact	t a phy	/sician	or loca	Il poison contr
2.3	Other Warnings:	In the event of center, who no KEEP OUT C	of an exposure may seek advic OF REACH OF	or medical ince from the U.S.	quiry invol . manufac	ving th turer, a	is prodund sho	duct, plow ther	ease on this s	ontact	t a phy	/sician	or loca	Il poison conti
2.3	Other Warnings:	In the event of center, who no KEEP OUT C	of an exposure may seek advic OF REACH OF	or medical ince from the U.S.	quiry invol . manufac	ving th turer, a	is prodund sho	duct, plow ther	ease on this \$	ontact	t a phy	AIR (mg	or loca	Il poison conti
2.3	Other Warnings:	In the event of center, who no KEEP OUT C	of an exposure may seek advic OF REACH OF	or medical ince from the U.S.	quiry invol . manufac	ving th turer, a	is prodund sho	duct, plow ther	ease on this s	ontact	t a phy	/sician	or loca	Il poison conti
	Other Warnings: CAL NAME(S)	In the event of center, who is KEEP OUT O	of an exposure may seek advice of REACH OF OMPOSIT	e or medical ince from the U.S. CHILDREN. ION & INC	quiry invol . manufac GREDI %	ENT AC PF	INF	ORN ES- TWA	ease on this S	ON SURE LI ES- PEAK	t a phy	AIR (mg OSHA ppm	or loca	Il poison contr
НЕМІ	CAL NAME(S)	In the event of center, who is KEEP OUT O	of an exposure nay seek advic OF REACH OF OMPOSIT	e or medical interest of the control	quiry invol . manufac	ENT AC PP	INF	ORN	ease on this S	ON SURE LI	t a phy	AIR (mg OSHA ppm	or loca	
НЕМІ	CAL NAME(S)	3. CC CAS No. 7732-18-5	of an exposure may seek advice of REACH OF OMPOSIT RTECS No.	e or medical ince from the U.S CHILDREN. ION & INC EINECS No. 231-791-2	GREDI % 60-100	ENT AC PR TLV NE	INF GIH om STEL NE	ORN ES- TWA	EXPOSIONOHSC ppm ES- STEL NF	ON SURE LI ES- PEAK NF	PEL NE	AIR (mg OSHA ppm STEL NE	or loca	
HEMI 'ATE	CAL NAME(S)	In the event of center, who is KEEP OUT C 3. C(CAS No. 7732-18-5 1310-58-3	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA	e or medical ince from the U.S CHILDREN. ION & INC EINECS No. 231-791-2	GREDI % 60-100	ENT AC PF	INF	ORN ES- TWA	ease on this S	ON SURE LI ES- PEAK	t a phy	AIR (mg OSHA ppm	or loca	
HEMI 'ATE	CAL NAME(S)	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 rai) 4; Skin Corr.	e or medical ince from the U.S CHILDREN. ION & INC EINECS No. 231-791-2 215-181-3 1A; H302, H314	GREDI % 60-100	ENT AC PI TLV NE	INF GIH DIM STEL NE	ORN ES- TWA NF	ease on this S IATI EXPOS NOHSC ppm ES- STEL NF	ON SURE L ES- PEAK NF	PEL NE	AIR (mg OSHA ppm STEL NE	or loca y/m³) IDLH NE NA	OTHER
H EM I ATE	CAL NAME(S)	CAS No. 7732-18-5 1310-58-3 Acute Tox. (0 1344-09-8	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 rral) 4; Skin Corr.	e or medical ince from the U.S CHILDREN. ION & INC EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9	GREDI % 60-100	ENT AC PR TLV NE	INF GIH om STEL NE	ORN ES- TWA	EXPOSIONOHSC ppm ES- STEL NF	ON SURE LI ES- PEAK NF	PEL NE	AIR (mg OSHA ppm STEL NE	or loca	
HEMI ATE	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E	of an exposure nay seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 rral) 4; Skin Corr. NA tye Dam. 1; H315	e or medical ince from the U.S CHILDREN. ION & INC EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 6, H318	GREDI % 60-100 10-30	ENT AC PR TLV NE NA	INF GIH STEL NE NA	ORN ES- TWA NF	EXPOSIONOHSC PPM ES- STEL NF NF	ON SURE L ES- PEAK NF	PEL NE NA NA*	AIR (mg OSHA ppm STEL NE	or loca	OTHER
HEMI ATE	CAL NAME(S) R SSIUM HYDROXIDE	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E 7320-34-5	of an exposure nay seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 rral) 4; Skin Corr. NA tye Dam. 1; H315 JL6735000	e or medical ince from the U.S CHILDREN. ION & INC EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9	GREDI % 60-100	ENT AC PI TLV NE	INF GIH DIM STEL NE	ORN ES- TWA NF	ease on this S IATI EXPOS NOHSC ppm ES- STEL NF	ON SURE L ES- PEAK NF	PEL NE	AIR (mg OSHA ppm STEL NE	or loca y/m³) IDLH NE NA	OTHER
HEMI /ATE ODIII ETR YRC	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E	of an exposure nay seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 rral) 4; Skin Corr. NA tye Dam. 1; H315 JL6735000	e or medical ince from the U.S CHILDREN. ION & INC EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 6, H318	GREDI % 60-100 10-30	ENT AC PR TLV NE NA	INF GIH STEL NE NA	ORN ES- TWA NF	EXPOSIONOHSC PPM ES- STEL NF NF	ON SURE L ES- PEAK NF	PEL NE NA NA*	AIR (mg OSHA ppm STEL NE	or loca	OTHER
HEMI /ATE ODIII ETR YRC	CAL NAME(S) R SSIUM HYDROXIDE UM SILICATE APOTASSIUM	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E 7320-34-5 Eye Irrit. 2; H 527-07-1	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 ral) 4; Skin Corr. NA (ye Dam. 1; H315 JL6735000 319 LZ5235000	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 6, H318 230-785-7 208-407-7	% 60-100 10-30 7-13 1-5	ENT AC PF TLV NE NA NA	INF GIH STEL NE NA NA	ORN ES- TWA NF NF NF NF	EXPOSING NO HSC PPM ES-STEL NF NF NF NF	ON SURE LI ES- PEAK NF NF NF NF	PEL NE NA NA*	AIR (mg OSHA ppm STEL NE NA	or loca n/m³) IDLH NE NA NA NA	OTHER
HEMI /ATE ODIII ETR ODIII	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E7320-34-5 Eye Irrit. 2; H3 527-07-1 813-78-5	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 rral) 4; Skin Corr. NA lye Dam. 1; H315 JL6735000 319 LZ5235000	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 208-407-7	% 60-100 7-13 7-13 1-5	ENT AC PF TLV NE NA NA NA	INF GIH DM STEL NA NA NA	ORN ES- TWA NF NF NF NF	EXPOSIONAL STREET OF THE PROPERTY OF THE PROPE	ON SURE LI ES- PEAK NF NF NF NF	PEL NE NA NA NA NA	AIR (mg OSHA ppm STEL NE NA	or loca J/m³) IDLH NE NA NA	OTHER
HEMI /ATE ODIII ETR YRO	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E7320-34-5 Eye Irrit. 2; H3 527-07-1 813-78-5	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 ral) 4; Skin Corr. NA (ye Dam. 1; H315 JL6735000 319 LZ5235000	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 208-407-7	% 60-100 7-13 7-13 1-5	ENT AC PF TLV NE NA NA NA	INF GIH DM STEL NA NA NA	ORN ES- TWA NF NF NF NF	EXPOSIONAL STREET OF THE PROPERTY OF THE PROPE	ON SURE LI ES- PEAK NF NF NF NF	PEL NE NA NA NA NA	AIR (mg OSHA ppm STEL NE NA NA NA	or loca n/m³) IDLH NE NA NA NA	OTHER
HEMI ATE OTA ODIII	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E7320-34-5 Eye Irrit. 2; H3 527-07-1 813-78-5	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 rral) 4; Skin Corr. NA lyc Dam. 1; H315 JL6735000 319 LZ5235000 NA rral) 4; Acute Tox	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 208-407-7 212-389-6 (dermal) 4; Skir	% 60-100 7-13 7-13 1-5 Corr. 1B; \$	ENT AC PF TLV NE NA	INF GIH DM STEL NA	ORN ES- TWA NF NF NF NF	EXPOSIONAL STREET OF THE PROPERTY OF THE PROPE	ON SURE LI ES- PEAK NF NF NF NF	PEL NE NA NA NA NA	AIR (mg OSHA ppm STEL NE NA NA NA	or loca n/m³) IDLH NE NA NA NA	OTHER
HEMI /ATE ODIII ETR YRO	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E7320-34-5 Eye Irrit. 2; H3 527-07-1 813-78-5	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 rral) 4; Skin Corr. NA lyc Dam. 1; H315 JL6735000 319 LZ5235000 NA rral) 4; Acute Tox	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 208-407-7	% 60-100 7-13 7-13 1-5 Corr. 1B; \$	ENT AC PF TLV NE NA	INF GIH DM STEL NA	ORN ES- TWA NF NF NF NF	EXPOSIONAL STREET OF THE PROPERTY OF THE PROPE	ON SURE LI ES- PEAK NF NF NF NF	PEL NE NA NA NA NA	AIR (mg OSHA ppm STEL NE NA NA NA	or loca n/m³) IDLH NE NA NA NA	OTHER
HEMI /ATE OTA ODIII ETR YRC ODIII HOS	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E 7320-34-5 Eye Irrit. 2; H 527-07-1 813-78-5 Acute Tox. (o	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 rral) 4; Skin Corr. NA lyc Dam. 1; H315 JL6735000 319 LZ5235000 NA rral) 4; Acute Tox	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 6, H318 230-785-7 212-389-6 (dermal) 4; Skir	% 60-100 10-30 7-13 7-13 1-5 1-5 Corr. 1B; \$	ENT AC PF TLV NE NA NA NA NA NA NA NA NA NA	INF GIH DIM STEL NE NA NA NA NA NA RES	ORN ES- TWA NF	EXPOSINGHENCE NOT	ON SURE LI ES- PEAK NF NF NF NF NF NF NF A, H31	PEL NE NA NA NA NA NA 7	AIR (mg OSHA ppm STEL NE NA NA NA NA	or loca n/m³) IDLH NA NA NA NA	OTHER * 20 mppcf
HEMI /ATE ODIII ETR YRC	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE PHORIC ACID ESTER	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E 7320-34-5 Eye Irrit. 2; H 527-07-1 813-78-5 Acute Tox. (o	of an exposure nay seek advice of REACH OF COMPOSIT COMPO	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 6, H318 230-785-7 212-389-6 (dermal) 4; Skir	% 60-100 10-30 7-13 7-13 1-5 1-5 Corr. 1B; S	Ving the turer, and tu	INF GIH DIM STEL NA NA NA NA NA TRES Trec +	ORN ES- TWA NF NF NF NF 1 (800)	EXPOSINGLE STELL NF	ON SURE LI ES- PEAK NF NF NF NF NF A, H31	PEL NE NA NA NA NA T	AIR (mg OSHA ppm STEL NE NA NA NA NA NA NA NA NA NA	or loca n/m³) IDLH NA NA NA NA Poison	OTHER * 20 mppcf Control Center
HEMI //ATE OTA ODIII ETR YRO ODIII	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE PHORIC ACID ESTER	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E7320-34-5 Eye Irrit. 2; H3 527-07-1 813-78-5 Acute Tox. (o	of an exposure may seek advice of REACH OF OMPOSIT OMPOSIT OF REACH OF OMPOSIT OF OMPOSIT OF OMPOSIT OF OMPOSIT OF OMPOSIT OF OMPOSIT OMPOSIT OF OMPOSIT OF OMPOSIT OM	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 208-407-7 212-389-6 (dermal) 4; Skir	guiry invol. manuface GREDI % 60-100 10-30 7-13 7-13 1-5 Corr. 1B; S D MEA Contact number for	Ving the turer, and tu	INF GIH DIM STEL NA NA NA NA NA Trec +	ORN ES- TWA NF NF NF NF 1 (800) and ins	ease on this S IATI EXPOSIONOHSC ppm ES- STEL NF NF NF NF 12, H31	ON SURE LI ES- PEAK NF	PEL NE NA NA NA T The ek im	AIR (mg OSHA ppm STEL NE NA	or loca I/m³) IDLH NA NA NA NA Poison te medit	* 20 mppcf Control Centrol attention.
HEMI //ATE OTA ODIII ETR YRO ODIII	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE PHORIC ACID ESTER	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E7320-34-5 Eye Irrit. 2; H3527-07-1 813-78-5 Acute Tox. (o	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 rral) 4; Skin Corr. NA LZ5235000 NA ral) 4; Acute Tox 4. DO NOT INDUre or local emerge comiting occurs f product gets	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 208-407-7 212-389-6 (dermal) 4; Skir FIRST AI CE VOMITING ency telephone a spontaneousl in the eyes, fl	guiry invol. manufact GREDI % 60-100 10-30 7-13 1-5 Corr. 1B; \$ D MEA Contact number for y, keep vidush eyes	PITLY NA NA NA NA NA Skin Ser Chemor assistim's h	INF GIH DM STEL NE NA NA NA NA NA St. 1; H: Stance tead loghly w	ORN Es- TWA NF NF NF NF 1 (800) and inswered ith copi	EXPOSION NE STEL NF NF NF 12, H31	ON SURE LI ES- PEAK NF NF NF NF NF A, H31	PEL NE NA NA NA T THE N T T T T T T T T T T T T T T T T T T	AIR (mg OSHA ppm STEL NA NA NA NA NA NA vearest mediate the rise vater for	IDLH NA NA NA NA Poisonte medick of as or at lea	* 20 mppcf Control Centical attention. piration. ast 15 minute
HEMI //ATE OTA ODIII ETR YRO ODIII	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE PHORIC ACID ESTER	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E7320-34-5 Eye Irrit. 2; H3527-07-1 813-78-5 Acute Tox. (o	RTECS No. NA TT2100000 TT2100000000 TT210000000000	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 208-407-7 212-389-6 (dermal) 4; Skir FIRST AI CE VOMITING ency telephone a spontaneousl in the eyes, fl	guiry invol. manufact GREDI % 60-100 10-30 7-13 1-5 Corr. 1B; \$ D MEA Contact number for y, keep vidush eyes	PITLY NA NA NA NA NA Skin Ser Chemor assistim's h	INF GIH DM STEL NE NA NA NA NA NA St. 1; H: Stance tead loghly w	ORN Es- TWA NF NF NF NF 1 (800) and inswered ith copi	EXPOSION NE STEL NF NF NF 12, H31	ON SURE LI ES- PEAK NF NF NF NF NF A, H31	PEL NE NA NA NA T THE N T T T T T T T T T T T T T T T T T T	AIR (mg OSHA ppm STEL NA NA NA NA NA NA vearest mediate the rise vater for	IDLH NA NA NA NA Poisonte medick of as or at lea	* 20 mppcf Control Cent cal attention. piration. ast 15 minute
HEMI /ATE OTA ODIII ETR YRC ODIII HOS	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE PHORIC ACID ESTER	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E7320-34-5 Eye Irrit. 2; H3 527-07-1 813-78-5 Acute Tox. (o	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 rral) 4; Skin Corr. NA LZ5235000 NA ral) 4; Acute Tox 4. DO NOT INDUre or local emerge comiting occurs f product gets	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 212-389-6 (dermal) 4; Skir FIRST AI CE VOMITING ency telephone s spontaneousl in the eyes, fl s) open to ensu	guiry invol. manufact GREDI % 60-100 10-30 7-13 1-5 Corr. 1B; \$ D MEA Contact number for y, keep vicush eyes ure comple	PROPERTY OF TABLE TO THE TABLE THE TABLE TABLE TO THE TABLE T	INF GIH DM STEL NA NA NA NA NA S. 1; H STeace tead lo ghly whing.	ORN ES- TWA NF NF NF NF 1 (800) and inswered ith cop If the 6	EXPOSION NE STEL NF NF NF 12, H31	ON SURE LI ES- PEAK NF NF NF NF NF A, H31	PEL NE NA NA NA T THE N T T T T T T T T T T T T T T T T T T	AIR (mg OSHA ppm STEL NA NA NA NA NA NA vearest mediate the rise vater for	IDLH NA NA NA NA Poisonte medick of as or at lea	* 20 mppcf Control Cent cal attention. piration. ast 15 minute
HEMI /ATE OTA ODIII ETR YRC ODIII HOS	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE PHORIC ACID ESTER	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E7320-34-5 Eye Irrit. 2; H: 527-07-1 813-78-5 Acute Tox. (o	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 ral) 4; Skin Corr. NA Yeye Dam. 1; H315 JL6735000 319 LZ5235000 NA ral) 4; Acute Tox 4. DO NOT INDUCT Corr local emerge womiting occurs for local emerge womiting occurs for product gets nolding eyelid(suse, consult a premove contains and successive contains and s	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 212-389-6 . (dermal) 4; Skir FIRST AI CE VOMITING es spontaneousl in the eyes, fl s) open to ensubhysician or eminated clothin	guiry invol. manufact GREDI % 60-100 10-30 7-13 7-13 1-5 Corr. 1B; \$ DMEA Contact number for four eyes vicush eyes ure completer gency rig and was gand was	NA N	INF GIH OM STEL NA NA NA NA NA NA S. 1; H3 Trec + tance lead lo ghly whing. Inmediacted and and acted acted and acted and acted acted and acted	ORN ES- TWA NF NF NF NF 1 (800) and inswered ith coplif the cately. eas wire as wire as well as w	ease on this S EXPOSIONATE EX	ES-PEAK NF NF NF NF NF A4, H31	NA NA NA NA Trithe n eek im reduce ts of w become	AIR (mg OSHA ppm STEL NE NA NA NA NA NA Indicate the rise vater for the swoll If disco	IDLH NA NA NA NA NA Poison te medi	* 20 mppcf Control Cent cal attention. piration. ast 15 minute ing or following persists and/
HEMI //ATE OTA ODIII ETR YRO ODIII	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE PHORIC ACID ESTER	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E7320-34-5 Eye Irrit. 2; H: 527-07-1 813-78-5 Acute Tox. (o	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 ral) 4; Skin Corr. NA Ye Dam. 1; H315 JL6735000 319 LZ5235000 NA ral) 4; Acute Tox CO NOT INDUctor local emerge vomiting occurs for product gets nolding eyelid(suse, consult a part of the product and product gets nolding eyelid(suse, consult a part of the product and product gets nolding eyelid(suse, consult a part of the product and product gets nolding eyelid(suse, consult a part of the product gets nolding eyelid(suse, consult a part of the product gets nolding eyelid(suse, consult a part of the product gets nolding eyelid(suse, consult a part of the product gets nolding eyelid(suse, consult a part of the product gets nolding eyelid(suse, consult a part of the product gets nolding eyelid(suse, consult a part of the product gets nolding eyelid(suse, consult a part of the product gets nolding eyelid(suse, consult a part of the product gets nolding eyelid(suse, consult a part of the par	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 212-389-6 . (dermal) 4; Skir FIRST AI CE VOMITING es spontaneousl in the eyes, fl s) open to ensubhysician or eminated clothin	guiry invol. manufact GREDI % 60-100 10-30 7-13 7-13 1-5 Corr. 1B; \$ DMEA Contact number for four eyes vicush eyes ure completer gency rig and was gand was	NA N	INF GIH OM STEL NA NA NA NA NA NA S. 1; H3 Trec + tance lead lo ghly whing. Inmediacted and and acted acted and acted and acted acted and acted	ORN ES- TWA NF NF NF NF 1 (800) and inswered ith coplif the cately. eas wire as wire as well as w	ease on this S EXPOSIONATE EX	ES-PEAK NF NF NF NF NF A4, H31	NA NA NA NA Trithe n eek im reduce ts of w become	AIR (mg OSHA ppm STEL NE NA NA NA NA NA Indicate the rise vater for the swoll If disco	IDLH NA NA NA NA NA Poison te medi	* 20 mppcf Control Cent cal attention. piration. ast 15 minute ing or followir persists and/
HEMI /ATE OTA ODIII ETR YRO ODIII	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE PHORIC ACID ESTER	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E 7320-34-5 Eye Irrit. 2; H 527-07-1 813-78-5 Acute Tox. (o	of an exposure may seek advice of REACH OF OMPOSIT RTECS No. NA TT2100000 ral) 4; Skin Corr. NA Yeye Dam. 1; H315 JL6735000 319 LZ5235000 NA ral) 4; Acute Tox 4. DO NOT INDUCT Corr local emerge womiting occurs for local emerge womiting occurs for product gets nolding eyelid(suse, consult a premove contains and successive contains and s	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 208-407-7 212-389-6 (dermal) 4; Skir FIRST AI CE VOMITING ency telephone is pontaneously in the eyes, fill s) open to ensubhysician or emminated clothing my worsens, compared to the compared t	guiry invol. manufact GREDI % 60-100 10-30 7-13 7-13 1-5 Corr. 1B; \$ DMEA Contact number for four eyes vicush eyes ure completer gency rig and was gand was	NA N	INF GIH OM STEL NA NA NA NA NA NA S. 1; H3 Trec + tance lead lo ghly whing. Inmediacted and and acted acted and acted and acted acted and acted	ORN ES- TWA NF NF NF NF 1 (800) and inswered ith coplif the cately. eas wire as wire as well as w	ease on this S EXPOSIONATE EX	PEAK NF NF NF NF NF NF A4, H31	NA NA NA NA Trithe n eek im reduce s of w becom water.	AIR (mg OSHA ppm STEL NE NA NA NA NA NA Indicate the rise vater for the swoll If disco	IDLH NA NA NA NA NA Poison te medi	* 20 mppcf Control Cent cal attention. piration. ast 15 minute ing or following persists and/
EMI ATE DTA DDII TRC RC	CAL NAME(S) R SSIUM HYDROXIDE JM SILICATE APOTASSIUM PHOSPHATE JM GLUCONATE PHORIC ACID ESTER	CAS No. 7732-18-5 1310-58-3 Acute Tox. (o 1344-09-8 Skin Irrit. 2; E 7320-34-5 Eye Irrit. 2; H 527-07-1 813-78-5 Acute Tox. (o	of an exposure may seek advice of REACH OF COMPOSIT PRESS No. NA TT2100000 TT2100000 TT2100000 TT2100000 TT2100000 TT2100000 TT2100000 TT2100000 TT2100000 TT210000000000	EINECS No. 231-791-2 215-181-3 1A; H302, H314 292-912-9 5, H318 230-785-7 208-407-7 212-389-6 (dermal) 4; Skir FIRST AI CE VOMITING ency telephone as spontaneousl in the eyes, fill so open to ensuch ysician or eminated clothing more series on the eyes, fill so open to ensuch ysician or eminated clothing more series on the eyes, fill so open to ensuch ysician or eminated clothing more series on the eyes, fill so open to ensuch ysician or eminated clothing more series on the eyes, fill so open to ensuch ysician or eminated clothing more series on the eyes, fill so open to ensuch ysician or eminated clothing more series of the eyes of early cleaned.	guiry invol. manufact GREDI % 60-100 10-30 7-13 7-13 1-5 Corr. 1B; S D MEA Contact number for y, keep vioush eyes ure complete pergency r g and was ntact a physical contact a	Ving the turer, and tu	INF GIH DIM STEL NE NA	ORN ES- TWA NF NF NF NF 1 (800) and inswered ith cople ith co	PATI EXPOSIONOHSC PPM ES- STEL NF NF NF NF 12, H31 424-9 structio (forwa ious a eyes or th soap Do no	ON SURE LI ES-PEAK NF NF NF NF A, H31 300 ons. S rd) to mount face of and of wear	PEL NE NA NA NA NA TO THE NA IN THE NA INTENTACE NA INTEN	AIR (mg OSHA ppm STEL NE NA NA NA NA INA INA INA INA INA INA INA	or loca n/m³) IDLH NA NA NA NA NA Or at leaden dure comfort ed clothered comfort ed clothered is the comfort ed clothered in the cloth	Control Cencal attention piration. ast 15 minuting or follow persists and ing until after



Page 2 of 6 **BTI-041**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards SDS Revision: 3.0 SDS Revision Date: 3/10/2022

		4. FIRST AID I	MEAS	SUR	ES - c	ont'd					
4.2	Effects of Exposure: Severe or permanent eye damage. Corrosive. Skin: Severe irritation and possible burns. Ingestion: Severe burns of mouth, throat and stomach. Symptoms may include vomiting, diarrhea, and abdomin pain.							dominal			
	pain. Inhalation: Severe irritation of respiratory tract and mucous membranes; coughing, difficulty breathing.										
4.3	Symptoms of Overexposure:	Eyes: Redness, burning, irritation, and swelling around eyes. Eye damaged Skin: Redness, burning, irritation, and scaling of the skin (dermatitis). Ingestion: Nausea, vomiting, severe abdominal pain.									
4.4	Acute Health Effects:	Inhalation: Coughing, wheezing, swelling of throat, irritation in mucous membranes, difficulty breathing. Severe or permanent eye damage. Severe irritation and possible burns. Severe burns of mouth, throat and stomach.									
4.5	Chronic Health Effects:	Severe irritation of respiratory tract and Severe or permanent eye damage.	mucou	is mem	branes.						
4.6	Target Organs:	Eyes, skin, respiratory system.									
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin cond organs (eyes, skin, and respiratory sy those individuals that are susceptible to	stem).	Preclu	de from e	xposure onchitis.	HEALTH FLAMMA PHYSICA	L HAZ	ARDS		3 0 1
						_	PROTEC	1	QUIPN	IENT	B
		<u> </u>					EYES	SKIN			
		E EIDEEICH	ITINI	> N/E	ACLID	EC					
	le activity	5. FIREFIGH								1	
5.1	Fire & Explosion Hazards:	Non-flammable. Use media as approp flammable hydrogen gas.	nate for	surrol	unaing fire	. Contact	with metal	s may r	elease		
5.2	Extinguishing Methods:	Carbon dioxide, foam, water spray, Ha	lon (if p	ermitte	d), dry che	mical exti	nguisher.			_	
5.3	Firefighting Procedures:	As with any fire, firefighters should wear appropriate protective equipment including a MSHA/NIOSH approved or equivalent self-contained breathing apparatus (SCBA) and protective clothing. Hazardous decomposition products may be released. Thermal degradation may produce oxides of carbon, and/or nitrogen, hydrocarbons and/or derivatives. Fire should be fought from a safe distance. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway.									
		6. ACCIDENTAL	REL	EAS	E MEA	SURE	S				
6.1	Spills:	Before cleaning any spill or leak, inc Equipment (PPE). Use safety glasses apron, boots, etc.) to prevent skin cont <u>Small Spills</u> : Wear appropriate protecti inert material such as vermiculite or sa <u>Large Spills</u> : Keep incompatible mater or release. Isolate immediate hazard be done with minimal risk. Wear appro Recover as much free liquid as possib discharging liquid directly into a sewer	or safet act. ve equip nd to so rials (e.ç area an opriate p le and o	pment bak up to ak up to g., organd keep protective collect i	including of the production in	ce shield; gloves and at and plac as oil) aw zed perso ent includi	use gloves I protective e into a cor ay from spil nnel out of ng respirato	eyewea tainer for II. Stay area. Sory prote	er prote ar. Use or later upwind Stop spi ection as	a non-c disposal and aw Il or rele condition	othing (e.g ombustible ay from sp ase if it ca ons warrar
		7. HANDLING & S	TOR	۸GE	INFOE	MATI)N				
7.1	Work & Hygiene Practices:	Avoid breathing mists or spray. Avoid e of the reach of children. Do not eat,	ye and s drink o	skin co r smok	ntact. Wea e when h	ar protectiv andling th	e equipmer				
7.2	Storage & Handling:	Immediately clean-up and decontaminate any spills or residues. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Keep away from incompatible substances (see Section 10). Protect containers from physical damage.									
7.3	Special Precautions:	Empty containers may retain hazardou				,					
		8. EXPOSURE CONTROL	C 9	DED	SON V	I DDA	TECTIC) NI			
2 1	Evnocure Limite:	8. EXPOSURE CONTROL			JUNA		ILCIN	/IN	USHV		OTHER
3.1	Exposure Limits: ppm (mg/m³)	CHEMICAL NAME(S)	ACG TLV	STEL	ES-TWA	NOHSC ES-STEL	ES-PEAK	PEL	OSHA STEL	IDLH	OTHER
	, ,	CHEMICAL NAME(S) SODIUM SILICATE	NA	NA	NF	NF	NF	NA*	NA	NA	* 20 mppo
8.2	Ventilation & Engineering Controls:	Use local or general exhaust ventilatio handling of this product. Ensure appropriation).	n to effe	ectively	remove a	nd preven	t buildup of	vapors	or mist	genera	ted from th
8.3	Respiratory Protection:	In instances where vapors or sprays needed, use only protection authorized the Canadian CAS Standard Z94.4-93 states, or Australia (e.g., NIOSH appro	by 29 (and appl	CFR §1	910.134, a standards	applicable of Canadia	U.S. State an Province	regulati s, EC m	ons, or		



Page 3 of 6 **BTI-041**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 3.0

SDS Revision Date: 3/10/2022

	0 5	VDACUDE CANTONIC O DEDCANAL DDATECTION
		XPOSURE CONTROLS & PERSONAL PROTECTION – cont'd
8.4	Eye Protection:	Safety glasses with side shields must be used when handling or using this product. A protective face shield is also recommended.
8.5	Hand Protection:	Wear protective, chemical-resistant gloves (e.g., neoprene, nitrile, butyl rubber) when using or handling this product.
8.6	Body Protection:	A chemical resistant apron and/or protective clothing are recommended when handling or using this product.
		9. PHYSICAL & CHEMICAL PROPERTIES
9.1	Appearance:	Amber liquid
9.2	Odor:	Mild odor
9.3	Odor Threshold:	NA NA
9.4	pH:	14.0
9.5	Melting Point/Freezing Point:	NA NA
9.6	Initial Boiling Point/Boiling Range:	> 100 °C (> 212 °F)
9.7	Flashpoint:	NA .
9.8	Upper/Lower Flammability	LEL: NA; UEL: NA
0.0	Limits:	
9.9	Vapor Pressure:	NA
9.10	Vapor Density: Relative Density:	> 1.0 (air = 1.0)
9.11	Solubility:	Complete (water)
9.12	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA NA
9.16	Viscosity:	NA NA
9.17	Other Information:	Evaporation Rate: < 1.0 (ethyl ether = 1.0)
		1
		10. STABILITY & REACTIVITY
10.1	Stability:	Stable under normal storage and use conditions.
10.2	Hazardous Decomposition	Contact with metals such as aluminum and zinc may produce hydrogen gas. Thermal decomposition can produce oxide
	Products:	of carbon, potassium, nitrogen and sulfur. If heated, may product violent reaction with water.
10.3	Hazardous Polymerization:	
10.0	riazaruous Folymenzalion.	Will not occur.
10.3	Conditions to Avoid:	Will not occur. Avoid high temperatures and incompatible materials.
	•	
10.4	Conditions to Avoid:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids.
10.4	Conditions to Avoid: Incompatible Substances:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION
10.4 10.5	Conditions to Avoid: Incompatible Substances: Routes of Entry:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO
10.4 10.5 11.1 11.2	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO
10.4 10.5	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/k
10.4 10.5 11.1 11.2	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/kg. Sodium Silicate LD ₅₀ (oral, rat) = 1960 mg/kg.
10.4 10.5 11.1 11.2	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/kg. Sodium Silicate LD ₅₀ (oral, rat) = 1960 mg/kg. See Section 4.4
10.4 10.5 11.1 11.2 11.3 11.4	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/kg. See Section 4.4 See Section 4.5
10.4 10.5 11.1 11.2 11.3 11.4 11.5	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/kg. See Section 4.4 See Section 4.5 NA
10.4 10.5 11.1 11.2 11.3 11.4 11.5	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans.
10.4 10.5 11.1 11.2 11.3 11.4 11.5	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/k Sodium Silicate LD ₅₀ (oral, rat) = 1960 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans.
10.4 10.5 11.1 11.2 11.3 11.4 11.5	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/k Sodium Silicate LD ₅₀ (oral, rat) = 1960 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to produce embryotoxic effects in humans.
10.4 10.5 11.1 11.2 11.3 11.4 11.5	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/k Sodium Silicate LD ₅₀ (oral, rat) = 1960 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans.
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/k Sodium Silicate LD ₅₀ (oral, rat) = 1960 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce embryotoxic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans. See Section 4.2
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES NO
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: Biological Exposure Indices:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/k Sodium Silicate LD ₅₀ (oral, rat) = 1960 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce embryotoxic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans. See Section 4.2
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: Biological Exposure Indices: Physician Recommendations:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: Biological Exposure Indices: Physician Recommendations:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD50 (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD50 (oral, rat) = 273 mg/k Sodium Silicate LD50 (oral, rat) = 1960 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans.
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6 11.9	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: Biological Exposure Indices: Physician Recommendations: Environmental Stability: Effects on Plants & Animals:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/k Sodium Silicate LD ₅₀ (oral, rat) = 1960 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause teratogenic effects in humans. The product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive toxicity in humans. The product is not reported to cause re
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6 11.7 11.8 11.9	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: Biological Exposure Indices: Physician Recommendations:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD50 (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD50 (oral, rat) = 273 mg/k Sodium Silicate LD50 (oral, rat) = 1960 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans.
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6 11.9	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: Biological Exposure Indices: Physician Recommendations: Environmental Stability: Effects on Plants & Animals:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD50 (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD50 (oral, rat) = 273 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive toxicity in humans. This product is not reported to cause reproductive toxicity in humans. This product is not reported to cause reproductive toxicity in humans. Th
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6 11.7 11.8 11.9	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: Biological Exposure Indices: Physician Recommendations: Environmental Stability: Effects on Plants & Animals: Effects on Aquatic Life:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6 11.9	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: Biological Exposure Indices: Physician Recommendations: Environmental Stability: Effects on Plants & Animals:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/k Sodium Silicate LD ₅₀ (oral, rat) = 1960 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. The product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive toxicity in humans. This product is not reporte
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6 11.7 11.8 11.9	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: Biological Exposure Indices: Physician Recommendations: Environmental Stability: Effects on Plants & Animals: Effects on Aquatic Life:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/k Sodium Silicate LD ₅₀ (oral, rat) = 1960 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce embryotoxic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. See Section 4.2 NE Treat symptomatically. 12. ECOLOGICAL INFORMATION No data available. No data available. No data available. Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriating disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, and descriptions.
10.4 10.5 11.1 11.2 11.3 11.4 11.5 11.6 11.7 11.8 11.9	Conditions to Avoid: Incompatible Substances: Routes of Entry: Toxicity Data: Acute Toxicity: Chronic Toxicity: Suspected Carcinogen: Reproductive Toxicity: Mutagenicity: Embryotoxicity: Teratogenicity: Reproductive Toxicity: Irritancy of Product: Biological Exposure Indices: Physician Recommendations: Environmental Stability: Effects on Plants & Animals: Effects on Aquatic Life:	Avoid high temperatures and incompatible materials. Water-reactive substances, metals (e.g. aluminum, zinc) strong acids, oxidizers, organic halogens, flammable liquids. 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: NO Tetrapotassium Pyrophosphate: LD ₅₀ (dermal, rabbit) > 4,640 mg/kg; Potassium Hydroxide: LD ₅₀ (oral, rat) = 273 mg/kg. See Section 4.4 See Section 4.5 NA This product is not reported to cause reproductive toxicity in humans. This product is not reported to produce mutagenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause teratogenic effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive effects in humans. This product is not reported to cause reproductive toxicity in humans. This product is not reported to cause reproductive toxicity in humans. This product is not reported to cause reproductive toxicity in humans.



Page 4 of 6 **BTI-041**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 3.0

SDS Revision Date: 3/10/2022

14. TRANSPORTATION INFORMATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

49 CFR (GND):	UN3266, CORROSIVE LIQUIDS, BASIC, INORGANIC, N.O.S. (potassium hydroxide, tetrapotassium
	pyrophosphate), 8, II, LTD QTY (IP VOL ≤ 1.0 L)
IATA (AIR):	UN3266, CORROSIVE LIQUIDS, BASIC, INORGANIC, N.O.S. (potassium hydroxide, tetrapotassium
	pyrophosphate), 8, II, LTD QTY (IP VOL ≤ 0.1 L)
IMDG (OCN):	UN3266, CORROSIVE LIQUIDS, BASIC, INORGANIC, N.O.S. (potassium hydroxide, tetrapotassium
	pyrophosphate), 8, II, LTD QTY (IP VOL ≤ 1.0 L)
TDGR (Canadian GND):	UN3266, CORROSIVE LIQUIDS, BASIC, INORGANIC, N.O.S. (potassium hydroxide, tetrapotassium
	pyrophosphate), 8, II, LTD QTY (IP VOL ≤ 1.0 L)
ADR/RID (EU):	UN3266, CORROSIVE LIQUIDS, BASIC, INORGANIC, N.O.S. (potassium hydroxide, tetrapotassium
	pyrophosphate), 8, II, LTD QTY (IP VOL ≤ 1.0 L)
SCT (MEXICO):	UN3266, LIQUIDOS CORROSIVOS, BASICO, INORGANICO, N.E.P. (hidroxido de potassio,
	pirofosfato de potassio), 8, II, CANTIDAD LIMITADA, (IP VOL ≤ 1.0 L)
ADGR (AUS):	UN3266, CORROSIVE LIQUIDS, BASIC, INORGANIC, N.O.S. (potassium hydroxide, tetrapotassium
	pyrophosphate), 8, II, LTD QTY (IP VOL ≤ 1.0 L)
	IATA (AIR): IMDG (OCN): TDGR (Canadian GND): ADR/RID (EU): SCT (MEXICO):



	15. REGULATORY INFORMATION				
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.			
15.2	SARA TPQ:	NA NA			
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.			
15.4	CERCLA Reportable Quantity:	Tetrapotassium Pyrophosphate: RQ 100 lbs (45.4 kg); Potassium Hydroxide: RQ 1,000 lbs (454 kg)			
15.5	Other Federal Requirements:	NA NA			
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class E (Corrosive Material), Class D2B (Materials Causing Other Toxic Effects).			
15.7	State Regulatory Information:	Potassium Hydroxide is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA), and Washington Permissible Exposures List (WA). Sodium Silicate is found on the following state criteria lists: MA, NJ, PA. Tetrapotassium Pyrophosphate is found on the following state criteria lists: NJ, PA. Sodium Gluconate is found on the following state criteria lists: NJ, PA. None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). This product does not contain any chemicals known to the State of California to cause cancer or other reproductive harm. For more information go to www.P65Warnings.ca.gov .			
15.8	Other Requirements:	This product is found on the following inventory lists: Australia - AlCS, China – IECSC, Europe – ELINCS/EINEC, Japan – ENCS; Korea – KECI; New Zealand – NZIoC; {Philippines – PICCS; USA – TSCA.			



Page 5 of 6 **BTI-041**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 3.0

SDS Revision Date: 3/10/2022

		16. OTHER INFO	ORMATION					
16.1	DANGER! HARMUL IF SWALLOWED. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. Obtain, read, and follow all safety instructions before use. Do not breathe dust or mist. Wash thoroughly with soap and water after handling. Do not eat, drink, or smoke when using this product. Wear protective gloves/ protective clothing /eye protection / face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment see section 4 (first aid) of this SDS or container label. Store locked up. KEEP OUT OF REACH OF CHILDREN.							
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.						
16.3	Disclaimer:	government regulations must be reviewed for Technologies' knowledge, the information contai suitability or completeness is not guaranteed an The information contained herein relates only to t	OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other applicability to this product. To the best of ShipMate's & Birchwood ined herein is reliable and accurate as of this date; however, accuracy, d no warranties of any type, either expressed or implied, are provided. he specific product(s). If this product(s) is combined with other materials, Data may be changed from time to time. Be sure to consult the latest					
16.4	Prepared for:	Birchwood Technologies 7900 Fuller Road Eden Prairie, MN 55344 USA Tel: +1 (952) 937-7900 Fax: +1 (952) 937-7979 http://www.birchwoodtechnologies.com	BIRCHWOOD® TECHNOLOGIES					
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate* Dangerous Goods Training & Consulting					



Page 6 of 6 **BTI-041**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, GHS & EU Standards

SDS Revision: 3.0

SDS Revision Date: 3/10/2022

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists			
IDLH	IDLH Immediately Dangerous to Life and Health			
NOHSC	National Occupational Health and Safety Commission (Australia)			
OSHA	U.S. Occupational Safety and Health Administration			
PEL	Permissible Exposure Limit			
STEL	Short Term Exposure Limit			
TLV	Threshold Limit Value			
TWA	Time Weighted Average			

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α		
В		
С		
D		
Е		
F		





OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:					
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\\
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	/ ~~~ ~~ ~
W	Use No Water	HEALTH 🔪
OX	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal
ppm	Concentration expressed in parts of material per million parts
TD _{lo}	Lowest dose to cause a symptom
TCLo	Lowest concentration to cause a symptom
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects
TC, TCo, LCio, & LCo	
IARC	International Agency for Research on Cancer
NTP	National Toxicology Program
RTECS	Registry of Toxic Effects of Chemical Substances
BCF	Bioconcentration Factor
TLm	Median threshold limit
log Kow or log Koc	Coefficient of Oil/Water Distribution

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	PSL Canadian Priority Substances List					
TSCA	TSCA U.S. Toxic Substance Control Act					
EU	EU European Union (European Union Directive 67/548/EEC)					
WGK	K Wassergefährdungsklassen (German Water Hazard Class)					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(4)	(2)	(3)	\odot	(4)		R
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			(! >		
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment